

INDEX

Note: Italicized page numbers refer to illustrations.

A

AbiWord
 files read by, 112
 formatting, 114–16
 launching, 111, 302
 saving, 113
 accelerator shortcut, 95
 accessibility, for disabled users, 246
 activity indicator, 23
 address book
 KMail, 169–71
 KPilot, 61
 alignment, text
 KWord, 104
 Writer, 77
 ALT key functions, 19
 anchor points, 140
 anti-aliasing setting, 140
 Apache webserver, 2
 applets, enabling, 233–34
 applications. *See* programs
 archiving files
 appointments, 59
 with Ark, 43, 258–60
 arguments, 275
 Ark utility, 43, 258–60, 302
 asterisks, in Find File utility, 29
 attachments, email
 receiving, 166–67
 sending, 165–66

AutoPilot, 74
 autosave, 47
 Autostart, 18, 254
 Autotext, 75

B

background
 desktop, customizing, 224–25
 document, applying color to, 78
 image, altering, 149–50
 backups
 Ark utility for, 43, 258–60
 to CD, 260–66
 to floppy, 257
 system, 257
 Bash (Bourne Again Shell)
 commands. *See* commands
 control characters, 272–73
 development of, 271
 expansions, 276–77
 features, 276–78
 prompt, 272
 batteries, monitoring, 247
 behavior, of windows, 239–41
 Bezier tool, 140
 bitmap applications. *See* GIMP, The;
 KPaint
 Block Devices, 223
 bookmarks
 creating, 195
 editing, 196–99, 302
 exporting, 200–201
 function of, 194

- bookmarks (*continued*)
 - importing, 199–200
 - organizing, 196–97
 - renaming, 198
 - toolbar, 201–2
- bound functions, 31
- brightness, image, 147–48
- browsing
 - files
 - in Control Center, 219–22
 - using shell, 279–80
 - the Web. *See* websites
- bulleted lists
 - in KWord, 105
 - in Writer, 77
- burning CDs. *See* KOnCD
- buttons, mouse
 - clicking, 9
 - customizing, 240
- buttons, panel, adding, 252–53

C

- Calc spreadsheets
 - creating, 83
 - formatting, 85
 - formulas and functions, 84–85
 - keyboard shortcuts, 295–97
 - launching, 303
 - moving data in, 83–84
 - multiple page, 87
 - printing, 87–88
 - resizing cells, 84
 - saving, 87
- calculator utility, 69–70
- calendar. *See* Event calendar
- camera, digital, 244
- Cascade Windows, 16
- cd (change directory)
 - command, 279
- CD database, 249
- CD-ROMs
 - accessing files on, 24–25
 - icon for, 18
- CDs
 - backups to, 257–58, 260–66
 - music, 248–49
 - read-only format, 18, 24–25
 - types, 260–61
- cells, resizing, 84
- certificates, security, managing,
 - 211, 247
- change directory (cd)
 - command, 279
- change file group (chgrp)
 - command, 286–87
- change file permissions (chmod)
 - command, 286
- character formatting, in Writer, 79
- charts
 - in Calc, creating, 86, 87
 - in Draw documents, adding, 93
 - KChart, 302
- chgrp (change file group)
 - command, 286–87
- chmod (change file permissions)
 - command, 286
- clipboard (Klipper), 17
- clock, changing, 17
- colors
 - applying
 - Calc cells, 85
 - GIMP, 137
 - KMail, 157
 - KOrganizer, 48
 - KPaint, 120–21
 - KWord, 105, 106
 - Writer, 78
 - brightness and contrast, 147–48
 - customizing, on the desktop,
 - 225, 226

- Color scan mode, 124
- columns, resizing, 84
- command-line interface
 - See also* shells
 - advantages, 267
 - in general, 3
- commands, about
 - completion, 276
 - conventions, 278
 - editing, 276
 - syntax, 275–76
- commands, shell
 - cd (change directory), 279
 - chgrp (change file group), 286–87
 - chmod (change file permissions), 286
 - cp (copy files), 280
 - df (display free), 292
 - du (display usage), 292
 - echo, 277
 - file (guess file type), 287
 - find (file location), 289–90
 - grep (string searching), 288–89
 - locate (file location), 290
 - lpr (file to printer), 284
 - ls (list contents), 279–80
 - man (display documentation), 287–88
 - mkdir (make directory), 282–83
 - mv (move files), 281
 - ps (process status), 290–91
 - pwd (pathname), 279
 - rmdir (remove directory), 283
 - rm (remove files), 281–82
 - top (ongoing process status), 291–92
- compressed files
 - creating with Ark, 258–60
 - opening, 43
- conduits, for PDAs, 62
- contrast, image, 148
- Control Center
 - appearance module, 223–29
 - features, 218–19
 - file browsing in, 219–22
 - information module, 222, 223
 - menu settings, 230
 - network module, 242–44
 - opening, 218
 - panel settings, 231–34
 - peripherals module, 244–45
 - personalization module, 246–47
 - power control module, 247, 248
 - screensavers, 234
 - sound settings, 248–49
 - style options, 237
 - system settings, 250–51
- control characters, 272–73
- cookies, 209–10, 211
- copying
 - files, 34, 280
 - in KPaint, 120
 - text, 10, 38
- country settings, 246
- cp (copy files) command, 280
- creating
 - bookmarks, 195
 - charts, 86
 - directories, 282–83
 - documents
 - AbiWord, 112
 - Writer, 74–75, 99–100
 - presentations, 88–89
 - spreadsheets
 - Calc, 83
 - KSpread, 107
- Crypto, 246
- CTRL key functions, 20
- Curves feature, 148

D

daemon, 64, 291

data entry

- in Calc, 83
- in KSpread, 108–9

date settings, 246

DB Specials options, 64

desktop, *11*

- background, 131, 224–25
- colors, 225, 226
- configuring. *See* Control Center
- default, 7–8
- fonts, 228
- icons, 18, 227, 229
 - adding, 251, 253–54
 - deleting, 254
- locking, 17
- moving items on, 10
- screensavers, 234
- shortcut menus, 17–18
- virtual. *See* virtual desktops

desktop publishing, in KWord, 98

df (display free) command, 292

digital camera settings, 244

directories

- creating, 282–83
- displaying in Konqueror, 23
- listing contents, 279–80
- permissions, 285–87
- removing, 283

disabled users, features for, 246

display documentation (man)

- command, 287–88

display free space (df)

- command, 292

display used space (du)

- command, 292

distribution lists, email, 171

distributions, of Linux, 3

document templates. *See* templates

domains, 188

dpi (dots per inch), in xscanimage, 126–27

drag and drop operation, 10, 34, 39

Draw, 92–94

- keyboard shortcuts, 298–99
- launching, 303

drawing tools

- The GIMP, 141–43
- Kontour, 128–29
- KPaint, 119

du (display usage) command, 292

E

echo command, 277

electronic mail. *See* email

Elm email program, 178

Emacs editor, 276, 284, 302

email

- See also* KMail
- address book, 169–71
- attachments, 165–67
- distribution lists, 171
- in general, 153
- Netscape, 175–77
- network configuration, 242
- notes inserted in, 68
- organizing, 162
- sending, 164–67, 169
- in shared environment, 50
- text-based interfaces, 178
- viewing, 161

encryption, 159–60

end-of-file character, 273

Event calendar

- adding events to, 56–57
- editing events, 58–59

- expansions, shell, 276–77
- exporting
 - bookmarks, 200–201
 - Excel files, 87
 - Impress presentations, 90–91
 - KOrganizer files, 59–60
 - Word files, 36–37, 72, 76

F

- fax utilities
 - KFax, 184–85
 - K Send a Fax, 183–84
- file associations, configuring, 219–21
 - for Word documents, 36–37
- file extensions, 35
 - editing, 41
 - for plugins, 202–3
- file (guess file type) command, 287
- file management
 - File Manager, 221
 - hierarchy, 23–24
 - using Konqueror. *See* Konqueror
- files
 - archiving, 258–60
 - browsing
 - in Control Center, 219–22
 - using shell, 279–80
 - copying, 280
 - hidden, 226
 - icons for, 254
 - moving, 34, 281
 - navigating in shell, 278–79
 - opening, 35, 36, 37–38
 - See also* specific applications
 - compressed files, 43
 - permissions, 285–87
 - printing, 284

- removing, 281–82
- types
 - See also* file extensions
 - command for guessing, 287
- file transfer protocol (FTP), 213
- filters, in The GIMP, 151
- find command, 289–90
- Find file utility, 29, 302
- flames, 178
- floppy drives
 - accessing files on, 24–25
 - backups to, 257
 - Floppy icon, 18
 - KDE formatter, 302
- folders
 - bookmark, 195–97
 - creating, 33
 - email
 - creating, 162–63
 - searching, 175
 - moving, 34
- fonts
 - desktop, 228
 - KMail, 157
 - Konqueror, 208
 - KOrganizer, 48
 - KWord, 103
 - Writer, 77
- footers, adding, 79
- formatting
 - AbiWord documents, 114
 - Calc spreadsheets, 85
 - command lines, 275–76
 - KWord documents, 103–6
 - Writer documents, 76–81
- forms, POST, 192–93
- formulas
 - Calc, 84–85
 - KSpread, 109, 110

frames

- KMail, 161–62
- KWord, 98–99, 101–19

Free Software Foundation, 284

FTP (file transfer protocol), 213

function keys, default, 19

functions

- bound, 31
- Calc, 85
- KSpread, 109, *110*

fuzzy selection tool, 140

G

gamma correction, 124–25

GIMP, The, 4, 92

- books about, 135
- creating files, 144
- extension menu, 137
- filters, 151
- launching, 136, 302
- menus, 137–38
- photo retouching, 146–50
- scanning from, 152
- tools
 - drawing and editing, 141–43
 - selection, 139–40

global shortcuts, 19

GNOME, 3

GNU Image Manipulation Program. *See* GIMP, The

GNU Privacy Guard (GPG), 159

- key generation and maintenance, 305–7

Go menu, 190

graphical user interface (GUI). *See* KDE

graphics

- See also* GIMP, The; Kontour;
- KPaint; photographs

- creating
 - screenshots, 129–30
 - thumbnail images, 30
- inserting into
 - Draw documents, 93
 - Impress slides, 89
 - KWord documents, 106–7
 - Writer documents, 80–81
- modifying, in Draw, 94
- saving, from websites, 205
- viewing with
 - Konqueror, 24, 208
 - KView, 130–32

Grayscale scan mode, 124

grep command, 288–89

groupware

- in KOrganizer, 50
- shared events, 57
- shared tasks, 54

GUI (graphical user interface). *See* KDE

gv (for PostScript and PDF files), 133–34, 302

H

Halftone scan mode, 123

hard drive partitions, 223

headers

- document, 79
- email, 161–62

HelpCenter, 13–14

hidden files, 226

Hide Panel, 17

hierarchy, file, 278–79

history feature

- in Konqueror, 190
- in shells, 276

Home Directory icon, 22, 22

home page, setting, 193–94

HTML

- AbiWord for reading, 112
 - color equivalents in KPaint, 121
 - configuring in Konqueror, 207–8
 - defined, 188
 - email attachment as, 167
 - saving as, 214
 - saving presentations as, 90–91
- Hughes, Phil, 146
- hyperlinks
- in AbiWord, 116
 - configuring in Konqueror, 207–8
 - defined, 189
 - in KMail, 164

I**iCalendar files, 59–60**

- for PDA use, 62

icons

- desktop, 8, 18
 - adding, 251, 253–54
 - customizing, 227, 229
 - deleting, 254
- editing, 302
- pager, 15
- panel, 11, 252–53
 - deleting, 254

image files. *See* graphics**ImageMagick, 302****Image Viewer. *See* KView****importing**

- bookmarks, 199–200
- Excel files, 87
- iCalendar files, 59
- Word files, 36–37, 72, 76, 99

Impress

- creating presentations, 88–89
- editing slides, 90

- exporting presentations, 90–91
 - keyboard shortcuts, 297–98
 - launching, 303
- indenting
- KWord text, 105
 - Writer text, 78
- Internet
- See also* websites
 - defined, 187
 - keywords, for searching, 191–93
- IP addresses, 188

J**Java/JavaScript, 209****Joe text editor, 284****K****KAddress Book (address manager), 302****KArm (time tracker), 65–66, 302****Kate (text editor), 302****KBear (FTP client), 213, 302****KCalc (scientific calculator), 69–70, 302****KChart (chart application), 302****KDE**

- Application Finder, 302
- command-line interface. *See* command-line interface
- desktop. *See* desktop
- distributed with Linux, 3–4
- Floppy Formatter, 302
- HelpCenter, 13–14
- main menu, 12
- Quick Copy & Move plugin, 222
- themes, 238, 239

kernel, 2

- key bindings. *See* keyboard shortcuts
- keyboard, configuring, 244
- keyboard shortcuts
 - Calc, 295–97
 - customizing, 235–36
 - described, 19
 - Draw, 298–99
 - Impress, 297–98
 - KMail, 172–74
 - KOffice, 98
 - OpenOffice, 95, 293–95
 - for text-based email, 178
- keys, GPG, creating and maintaining, 305–7
- keywords, Internet, 191–93
- KFax, 184–85, 302
- KGhostView (for PostScript and PDF files), 302
- KIconEdit, 302
- KIllustrator. *See* Kontour
- Kivio (flowchart application), 302
- KJots (note-taking application), 69, 302
- Klipper (clipboard), 17, 20, 302
- KLpq (print queue viewer), 302
- KMail
 - See also* email
 - address book, 169–71
 - attachments, 165–67
 - configuring, 154–60
 - appearance, 157–58
 - Composer options, 158–59
 - identity, 155–56
 - network, 156
 - security, 159–60
 - distribution lists, 171
 - keyboard shortcuts, 172–74
 - launching, 153, 154, 302
 - multiple accounts, 156
 - organizing messages, 162
 - reading messages, 161
 - search functions, 174–75
 - sending messages, 164–67, 169
 - spellchecker, 168
 - toolbar, 172
- KMix (sound card volume), 302
- KNode
 - configuring, 179–80
 - reading groups in, 181–82, 303
- KNotes, 67–68, 303
- KOffice, 97–99
- KOnCD, file backups with, 262–66
- Konqueror
 - and AbiWord hyperlinks, 116
 - bookmarks. *See* bookmarks
 - configuring, 206–13
 - appearance, 208
 - cookies, 209–10, 211
 - HTML, 207–8
 - Java and JavaScript, 209
 - security, 211–12
 - user agent, 212–13
 - customizing, 31
 - described, 18
 - display sections, 23
 - file management features, 23–24
 - home page, 193–94
 - hyperlinks in, 189
 - launching, 303
 - plugins settings, 202–3
 - uses, 21
 - viewing image files with, 24
 - as web browser, 187, 191–93
- Konsole
 - described, 247
 - menus, 268–69
 - opening, 29, 303
 - settings, 270

Kontour, 127–29, 303

KOrganizer

- See also* Event calendar;
- To-Do list
- archiving appointments, 59
- configuring, 46–50
- exporting from, 59–60
- features, 45–46
- importing into, 59
- KMail address book and, 171
- launching, 303
- menus and toolbars, 51–52
- printing from, 52

KPager, 303

KPaint

- drawing tools, 119
- launching, 117, 303
- toolbar, 118–19
 - configuring, 120
 - using color in, 120–21

KPasswd, 303

KPilot

- configuring, 63–64
- file installer, 62
- opening, 60, 303
- syncing, 61

KPresenter, 303

KRuler, 303

KsCD, 248–49, 303

K Send a Fax, 183–84

KSnapshot (screenshots),
129–30, 303

KSpread (spreadsheets), 107–9, 303

KTimer, 303

Kugar (report generator), 303

kuick, 222

KView

- functions, 130
- image adjustment, 131–33
- launching, 303

- opening files in, 130–31

KWin, 240

KWord

- creating documents in, 99–100
- for desktop publishing, 98
- formatting, 103–6
- frames, 101–2
- graphics in, 106–7

KWrite, 110–11, 303

L

language settings, 246

Layers menu, in The GIMP,
144, 145

layout

- See also* frames
- in AbiWord, 116
- of Impress slides, 89
- in KMail, 158

Lineart scan mode, 123

Link Here option, 34

links, Internet. *See* hyperlinks

Linux

- distributions, 3
- interfaces, 3
- kernel, 2
- performance, 2
- platforms, 2
- roots of, 1–2

list contents (ls) command, 279–80

listing directory contents, 279–80

lists, bulleted

- KWord, 105
- Writer, 77

locate command, 290

Location bar, 22–23

Location menu item, 25–26

Lock icon, 17

logging in/out, 5-7
 Login manager, 251
 Logout icon, 17
 setting up, 247
 lpr (file to printer) command, 284
 LS120 drives, 257
 ls (list contents) command, 279-80

M

make directory (mkdir) command,
 282-83
 man (display documentation)
 command, 287-88
 man pages, 32
 Marcus Bains line, 49
 margins. *See* formatting
 mathematical calculations
 Calc, 84-85
 KSpread, 109, 110
 memory, 223
 memos, KPilot, 62
 menus
 in general, 8-9
 hidden, 9, 10
 K
 adding to, 255-56
 editing, 303
 navigating, 12-13
 KOrganizer, 51-52
 settings module, 230
 Windows, 16
 Microsoft Excel, 87
 Microsoft Word
 importing
 in AbiWord, 111
 in KWord, 99
 importing and exporting to,
 36-37, 72, 76

middle-clicking, 43
 MIME headers, 159
 mkdir (make directory) command,
 282-83
 moire patterns, 127
 mouse buttons
 clicking, 9
 customizing, 240
 mouse, configuring, 244-45
 move files (mv) command, 281
 Move Here option, 34
 moving
 files, 281
 spreadsheet data, 83-84
 Mozilla
 bookmarks
 exporting, 200-201
 importing, 199-200
 described, 175
 passing in user agent, 212
 MP3 files, 249
 multimedia settings, 248-49
 multitasking, 2, 9
 music file formats, 248-49
 Mutt email program, 178
 mv (move files) command, 281

N

navigating
 desktop. *See* desktop
 HelpCenter, 14
 K menu, 12-13
 the Web. *See* websites
 Netscape
 bookmarks
 exporting, 200-201
 importing, 199-200
 Messenger, 175-77

Netscape (*continued*)
 Navigator, 213
 plugins, 203
 network configuration
 in Control Center, 242–44
 for KMail, 156
 newsgroups
 in general, 153
 organization of, 178
 reading
 with KNode, 179–82, 303
 with Netscape, 182–83
 news ticker, 242–44, 302
 Noatun, 303

O

office suites
 free vs. fee, 71
 KOffice, 97–99
 OpenOffice. *See* OpenOffice
 Ogg Vorbis files, 249
 opening
 files, 40
 files with Open With, 40
 Kontour documents, 127–28
 KSpread spreadsheets, 107–8
 KView files, 130–31
 KWord documents, 100–101
 programs, 8
 Writer documents, 75–76
 OpenOffice, 4
 Calc. *See* Calc
 Draw, 92–94
 features, 72–73
 Impress, 88–91
 keyboard shortcuts, 95, 293–95
 launching, 73
 versus StarOffice, 72

open source code, 1
 operating systems
 defined, 1
 POSIX-compliant, 2
 Opera web browser, 213–14
 ownership. *See* permissions

P

page numbers, adding, 79
 pager icon, 15
 pages, man, 32
 painting tools. *See* drawing tools
 panel
 customizing, 231–34
 defined, 8
 hiding, 17
 icons, 11
 adding, 252–53
 deleting, 254
 partitions, hard drive, 223
 passwords
 changing, 7
 GPG keys, 305–7
 selecting, 5–6
 setting up, 247
 pasting text, 38
 pathname command, 278–79
 PDAs (personal digital assistants)
 See also KPilot
 compatible calendar formats, 60
 configurations for, 63–64
 PDFs (portable document format),
 viewing, 303
 performance, 2
 peripherals, 244–45
 Perl scripts, with AbiWord front
 end, 111

- permissions
 - changing, 42
 - commands, 286–87
 - in general, 285
- personal digital assistants. *See* PDAs (personal digital assistants)
- photographs
 - See also* GIMP, The; graphics
 - retouching, 146–50
- Pine email program, 178
- pipes, 273–75
 - for connecting commands, 288
- pixels
 - drawing with, 118
 - representing colors and shapes, 135
- platforms, Linux, 2
- plugins
 - KDE Quick Copy & Move, 222
 - using, 202–3
- Popup Notes, 67–68
- Portable Operating System
 - Interface for Unix (POSIX), 2
- POST forms, 192–93
- Post-it notes, electronic, 67–68
- PostScript files, viewing, 133–34, 302
- power control module, 247, 248
- preferences, setting
 - in AbiWord, 116
 - in Netscape Messenger, 177
- presentations software. *See* Impress
- previewing files, 41, 221
 - automatically, 226
- printing
 - Calc spreadsheets, 87–88
 - command for, 284
 - from Konqueror, 26, 26
 - from KOrganizer, 50, 52
 - Printer icon, 18
 - Printing Manager, 251
 - viewing job queue, 302
 - websites, 205–6
 - Writer documents, 82
- priority levels, of To-Do list
 - tasks, 53
- process status commands, 290–92
- programs
 - file extensions, 35
 - associating with, 219–21
 - icons for, 253–54
 - opening, 8
 - terminating or suspending execution, 272
- prompt
 - shell, 272
 - system, 3
- protocol, 188
- ps (process status) command, 290–91
- pwd (pathname) command, 279

Q

- Quanta Plus, 214–16
- Quick Start, 233
- quoting characters, 277

R

- RAM (random access memory), 223
- Raymond, Eric S., 146
- read-only format, opening
 - documents in, 35
- recurring calendar events, 57–58
- redirection, 273–75
- reference cards, 292
- regional customizations, 246
- reliability, 257
- reloading, web pages, 190
- reminder, calendar, 57

- remove directory (rmdir)
 - command, 283
- remove files (rm) command, 281–82
- removing
 - directories, 283
 - files, 281–82
- renaming, files, 38, 281
- resolution, in xscanimage, 126–27
- retouching, photos, 146–50
- right-clicking files, 37–38
- rmdir (remove directory)
 - command, 283
- rm (remove files) command, 281–82
- root control, 7
- rows, spreadsheet, resizing, 84

S

- saving
 - AbiWord documents, 113
 - Calc spreadsheets, 87
 - Impress slides, 90
 - KPaint drawings, 119
 - scanned images, 125
 - websites, 204–5
 - Writer documents, 81
- scanners, 125–27
 - and xscanimage. *See* xscanimage
- screen captures
 - with The GIMP, 137
 - with KSnapshot, 129–30
- screensavers, enabling, 234, 303
- Script-Fu, 137, 151
- scripts
 - in AbiWord, 111
 - JavaScript, 209

- scroll bar, 11
- search engines, 191
- searching
 - for file locations, 289–90
 - KMail messages, 174–75
 - for strings in files, 288–89
 - the Web, 191–93
- Secure Socket Layer (SSL),
 - managing, 211, 247
- security
 - configuring Crypto for, 247
 - of email attachments, 167
 - GPG key, 305–7
 - in KMail, 159–60
 - in Konqueror, 211–12
- selection tools, GIMP, 139–40
- sending, email messages, 164–67, 169
- Send to Fax, 303
- Settings menu, 30–31
- shells
 - See also* Bash (Bourne Again Shell)
 - command history, 276
 - commands. *See* commands
 - expansions, 276–77
- shortcuts, keyboard
 - customizing, 235–36
 - in general, 19
 - KMail, 172–74
 - KOffice, 98
 - OpenOffice, 95
 - for text-based email, 178
- shortcuts, web, 191–93
- Show Windows List, 15, 20
- shredding files, 40
- signature file, email, 155–56
- sleep mode, settings, 247
- slide show. *See* Impress

sound settings, 248–49

source code, open, 1

Spellcheck function

- AbiWord, 115–16
- customizing, 247
- KMail, 168
- Writer, 76

spreadsheets. *See* Calc; KSpread

stderr (standard error) connection, 273–75

stdin (standard input) connection, 273–75

stdout (standard output)

- connection, 273–75

storage media, 257–58

string search (grep) command, 288–89

styles

- in AbiWord, 115, 116
- for toolbars, 237
- for widgets, 237
- for windows, preconfigured, 241

subdirectories. *See* folders

subscribing, to newsgroups, 180, 182–83

suffixes. *See* file extensions

suspending, program

- execution, 272

syncing files, to PDAs, 61, 64

syntax, command-line, 275–76

system notifications, 250

system-related commands, 290–92

system settings, 250–51

T

tab stops, in AbiWord, 114

taskbar, 16, 237–38

Task Manager, launching, 20

templates

- creating, in Writer, 81
- in KWord, 99–100
- lacking in OpenOffice, 72

terminal windows

- default. *See* Konsole
- in general, 3
- opening, 29
- renaming, 269
- shell connections with, 273
- virtual desktops and, 268

terminating, programs, 272

text

- See also* fonts
- adding
 - to Draw documents, 92
 - to KPaint, 119
 - to slides, 89
- aligning
 - in KWord, 104
 - in Writer, 77
- applying color to, 78
- copying, 10
- editors, 110–11, 284
- indenting, 78
- in KMail messages, 166
- PDA files, 62

text-based interfaces

- for email, 178
- for Linux, 3

Theme Manager, 238, 239

thesaurus, 76

threads, newsgroup, 178

thumbnail images

- creating, 30
- of screenshots, 130

TIFF files, 119

time, setting in KOrganizer, 47

time tracking program. *See* KArm

titlebar, 10

To-Do list

- editing, 55
- using, 52–55
- viewing, 49

toolbar buttons, 25

toolbars

- AbiWord, 114
- bookmark, 201–2
- customizing, 31
- The GIMP, 136
- KMail, 172
- KNode, 182
- KOrganizer, 51–52
- KPaint, 118–20
- style options, 237

Tools menu, Konqueror, 28–30

top (ongoing process status)

- command, 291–92

trash, moving to, 18, 39

U

Unclutter Windows, 16

Uniform Resource Locator (URL),

- defined, 188

UNIX, development of, 2

Usenet

- in general, 153
- organization of, 178
- reading
 - with KNode, 179–82
 - with Netscape, 182–83

user agent, Konqueror, 212–13

usernames, 5

V

vCalendar files, 59–60

- for PDA use, 62–63

vectors, drawing. *See* Kontour

vi editor, 276, 284

View menu item, 27–28

view options

- AbiWord, 113–14
- Konqueror, 27

virtual desktops, 15–16

- See also* desktop
 - adding, 227
 - moving notes between, 67
 - and terminal windows, 268

viruses, in email attachments, 167

W

wallpaper, desktop, 224–25

websites

- See also* HTML; Konqueror
 - bookmarks. *See* bookmarks
 - cookies and, 209–10
 - defined, 187
 - developing, 214–16
 - exporting presentations as,
 - 90–91
 - home page, 193–94
 - navigating, 188–90
 - printing, 205–6
 - saving, 204–5
 - searching, 191–93

widgets, 237

wildcards, in Find File utility, 29

Window menu, 16, 31–32

windows

- See also* virtual desktops
- configuring behavior of, 239–41
- defined, 9
- moving, 10
- resizing, 10–11
- shading, 16, 240
- styles, 241
- wizards. *See* AutoPilot
- word count, 75
- Workspace, KOffice, 98
- World Wide Web. *See* websites

Writer documents

- creating, 74–75
- formatting, 76–81
- launching, 303
- opening, 75–76
- printing, 82
- saving, 81

X

- XPaint, 121
- Xpdf, 303
- xscanimage
 - previewing images in, 125, 126
 - resolutions, 126–27
 - scan mode options, 123–25
 - using from The GIMP, 152
- XScreenSaver, 303
- xterm, 268, 270

Z

- Zip drives, 257
- Zip format, 259

